

2025



just play

Diecast e RC



AUDI RS Q e-tron Diecast

No. 402225



METAL DIE-CAST



Highlights:

- Officially licensed
- Detailed interior
- True to original paintwork
- Robust and stable metal body
- Transparent windscreen
- Rubber tyres

Functions:

- Doors manually open/close

Box content:


- Model



245 x 130 x 110 mm




See safety notes: 14+ | 1



~194 mm



~95 mm



~80 mm



~353 g



Lamborghini Huracan STO Diecast



No. 402230 *the*

No. 402231 *green*

METAL

DIE-CAST



Highlights:

- Officially licensed
- Detailed interior
- True to original paintwork
- Robust and stable metal body
- Transparent windscreen
- Plastic tyres

Box content:


- Model



107 x 52 x 28 mm




See safety notes: 3+ | 2 | 4



106 mm



49 mm



28 mm



55 g



402230 4 042774 474416



402231 4 042774 474430



Oracle Red Bull Racing RB19 Diecast

No. 402200 - 1:24

No. 402201 - 1:32

METAL

DIE-CAST

many detailed prints



Highlights:

- Officially licensed
- True to original paintwork
- Robust and stable metal body
- Rubber tyres

Box content:

- Model



[255 x 130 x 110 mm - 1:24](#)
[200 x 95 x 88 mm - 1:32](#)



[12 - 1:24](#)


[36 - 1:32](#)

See safety notes: 14+ | 1 / 3+ | 2 | 4



1:24 / 1:32

234 / 175 mm



86 / 65 mm



50 / 88 mm



230 / 110 g



402200 4 042774 472825



402201 4 042774 472832



1:24

402200



1:32

402201



14+

402200



3+

402201

Derago XP2 2,4GHz

No. 410013



DERAGO XP2

Highlights:

- 2.4GHz transmitter for multiplayer operation
- 4 wheel drive
- Treaded rubber tyres
- Front suspension
- Front/rear bull bar
- Sturdy roll bar

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Track adjustable
- Speed infinitely variable
- Top speed approx. 12 Km/h

Box content:

- Model
- Remote control 2,4GHz
- Drive battery
- USB charger
- Instructions

Required accessories:

- Remote control:
- 2 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)



470 x 225 x 195 mm



See safety notes: 6+ | 2 | 4

~295 mm	~182 mm	~123 mm	~713 g	NiMH 8/ 700mAh



--	--	--	--	--	--	--



Cubic 2,4GHz

No. 410010

59 CUBIC



Highlights:

- 2.4GHz transmitter for multiplayer operation
- Treaded rubber tyres
- Front/rear suspension
- Front/rear bull bar
- Sturdy roll bar

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Track adjustable
- Top speed approx. 18 Km/h

Box content:

- Model
- Remote control 2,4GHz
- Drive battery
- USB charger
- 9V block battery for remote control
- Instructions



425 x 215 x 205 mm



See safety notes: 6+ | 2 | 4

~308 mm	~190 mm	~123 mm	~747 g	NiMH 8/ 500mAh

--	--	--	--	--	--



Slighter CR2 RC-Crawler DieCast | Hillriser Crawler 2,4GHz

No. 405216 Slighter CR2

No. 410053 Hillriser Crawler

HILLRISER CRAWLER

SLIGHTER CR2

DIE CAST
METAL BODY

Slighter CR2

Highlights:

- 2.4GHz transmitter for multiplayer operation
- Treaded rubber tyres
- Front/rear suspension
- Extreme entangling ability
- Very high ground clearance
- Axles decoupled from chassis
- Replaceable battery
- DieCast

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Track adjustable
- Top speed approx. 9 Km/h

Box content:

- Model
- Remote control 2,4GHz
- Drive battery
- USB charger
- Instructions

Required accessories:

- Remote control:
- 2 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)



Slighter CR2

Hillriser Crawler

290 x 150 x 120 mm Slighter CR2
340 x 200 x 215 mm Hillriser Crawler

Hillriser Crawler

Highlights:

- 2.4GHz transmitter for multiplayer operation
- 4 wheel drive
- Treaded rubber tyres
- Front/rear suspension
- 2 drive motors front/rear
- Extreme entangling ability
- Very high ground clearance
- Axles decoupled from chassis

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Track adjustable
- Top speed approx. 9 Km/h

Box content:

- Model
- Remote control 2,4GHz
- Instructions

Required accessories:

- Remote control:
- 2 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)
- Model:
- 4 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)

Recommended Accessories:

- Charger „Charge Cell“
- incl. 6 x NiMH 1,2V 2400mAh batteries, No. 153085



III. recommended accessories

See safety notes: 6+ | 2 | 4 | 9



Slighter / Hillr. ~ 210 / 275 mm




~142 / 167 mm



~105 / 140 mm



~298 / 564 g



Lion
3,7V
400mAh



405216



410053



405216



410053



405216



410053



405216



405216



405216



405216



Police Armoured Car

No. 410032, 27MHz




Highlights:

- Locked rear axle for high traction and cool drifts
- Treaded tyres
- Large bull bar
- Sturdy ABS body
- LED lights front
- LED signal lights
- Flashing frequency with 4 intervals

Functions:

- Forward/Reverse
- Left/Right
- Stop
- LED light on/off
- Change the flashing sequence of the signal light
- Top speed approx. 10 Km/h

Flashing frequency with 4 intervals



Box content:

- Model
- Remote control
- Drive battery
- USB charger
- 9V block battery for remote control
- Instructions

520 x 254 x 265 mm



See safety notes: 6+ | 2 | 4

~390 mm	~235 mm	~210 mm	~1245 g	NiVh 6/ 500mAh



--	--	--	--	--	--



Jeep Wrangler Police 2,4GHz

No. 405052



Highlights:

- 2.4GHz transmitter for multiplayer operation
- Officially licensed
- Treaded rubber tyres
- Impact protection for a brawny appearance
- LED lights front/rear
- LED signal lights
- Siren

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Siren on/off
- Track adjustable
- Doors manually open/close
- Top speed approx. 9 Km/h



Box content:

- Model
- Remote control 2,4GHz
- Instructions

Required accessories:

- Remote control: 2 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)
- Model: 5 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)


Recommended Accessories:

- Charger „Charge Cell“ incl. 6 x NiMH 1,2V 2400mAh batteries, No. 153085



III. recommended accessories

See safety notes: 6+ | 2 | 4



Tank Tiger Battle Set 2,4GHz

No. 403635

PANZER TIGER BATTLE SET



- Highlights:**
- 2.4GHz transmitter for multiplayer operation
 - Demo mode. Pre-programmed sequence
 - Extremely manoeuvrable and high climbing ability


- Functions:**
- Forward/Reverse
 - Left/Right
 - Stop
 - Demo
 - 330° rotating turret
 - Gunfire
 - Machine gun fire
 - Tank mode can be played alone
 - Battle mode with simulated damage (by failure, unable to fight or drive)
 - Top speed approx. 1 Km/h



- Box content:**
- 2 models
 - 2 remote controls 2,4GHz
 - Instructions
- Required accessories:**
- Remote controls: 4 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)
 - Models: 8 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)
- Recommended Accessories:**
- Charger „Charge Cell“ incl. 6 x NiMH 1,2V 2400mAh batteries, No. 153085



See safety notes: 8+ | 2 | 4



Fire Truck TLF Mercedes-Benz Antos 2,4GHz

No. 404970



Highlights:

- 2.4GHz transmitter for multiplayer operation
- Officially licensed
- Treaded rubber tyres
- LED lights front
- Large water reservoir approx. 160 ml

Functions:

- Forward/Reverse
- Left/Right
- Stop
- 360° manually rotatable spray nozzle
- Spray nozzle manually up/down
- Spray function on/off
- Top speed approx. 6 Km/h



Box content:

- Model
- Remote control 2,4GHz
- Refill container
- Instructions

Required accessories:

- Remote control: 2 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)
- Model: 3 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)

Recommended Accessories:

- Charger „Charge Cell“ incl. 6 x NiMH 1,2V 2400mAh batteries, No. 153085



III. recommended accessories

See safety notes: 6+ | 2 | 4

~302 mm	~125 mm	~160 mm	~626 g



--	--	--	--	--	--	--



Fire Truck turnable ladder Mercedes-Benz Antos 2,4GHz

No. 404960



Working range




Highlights:

- 2.4GHz transmitter for multiplayer operation
- Officially licensed
- Reversing warning sound
- Programmable functions with repeat function
- Auto standby mode
- Demo mode. Pre-programmed sequence
- 4 wheel drive
- Treaded rubber tyres
- LED lights front/rear
- LED signal lights
- German siren
- Large water reservoir approx. 420 ml

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Memory/learning function
- Realistic engine sound, can be switched off
- Horn
- Siren on/off
- Demo
- 660° rotating ladder
- Spray function on/off
- Ladder up/out
- Ladder down/retract
- Top speed approx. 4 Km/h



Box content:

- Model
- Remote control 2,4GHz
- Instructions

Required accessories:

- Remote control: 2 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)
- Model: 4 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)

Recommended Accessories:

- Charger „Charge Cell“ incl. 6 x NiMH 1,2V 2400mAh batteries, No. 153085




560 x 195 x 265 mm



III. recommended accessories

See safety notes: 6+ | 2 | 4



Refuse Lorry Mercedes-Benz Antos 2,4GHz

No. 405079



Working range




Highlights:

- 2.4GHz transmitter for multiplayer operation
- Officially licensed
- Reversing warning sound
- Auto standby mode
- Demo mode. Pre-programmed sequence
- 4 wheel drive
- Treaded rubber tyres
- LED lights front/rear
- LED signal lights
- Indicator light

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Realistic engine sound, can be switched off
- Horn
- Demo
- Raise waste bin
- Pull in refuse
- Top speed approx. 4 Km/h



Box content:

- Model
- Remote control 2,4GHz
- 2 waste containers
- Instructions

Required accessories:

- Remote control: 2 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)
- Model: 4 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)

Recommended Accessories:

- Charger „Charge Cell“ incl. 6 x NiMH 1,2V 2400mAh batteries, No. 153085




560 x 195 x 260 mm



III. recommended accessories

See safety notes: 6+ | 2 | 4



Timber Transporter Mercedes-Benz Arocs 2,4GHz

No. 404935



Working range




Highlights:

- 2.4GHz transmitter for multiplayer operation
- Officially licensed
- Reversing warning sound
- Start button on remote control
- Programmable functions with repeat function
- Auto standby mode
- Demo mode. Pre-programmed sequence
- 4 wheel drive
- Treaded rubber tyres
- LED lights front/rear
- Indicator light
- Wooden logs included

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Realistic engine sound, can be switched off
- Horn
- LED light on/off
- Demo
- Crane up/down
- 180° rotatable crane
- Gripper arm up/down
- Drop sides can be opened manually
- Manual steering fine adjustment
- Top speed approx. 4 Km/h



Box content:

- Model
- Remote control 2,4GHz
- Load hook
- Grapple
- 4 logs
- Safety rubber
- Instructions

Required accessories:

- Remote control: 2 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)
- Model: 4 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)

Recommended Accessories:

- Charger „Charge Cell“ incl. 6 x NiMH 1,2V 2400mAh batteries, No. 153085



III. recommended accessories

See safety notes: 6+ | 2 | 4



Mercedes-Benz Arocs Container Truck 2,4GHz

No. 408300



Decorative sheet included (2 designs)

Highlights:

- 2.4GHz transmitter for multiplayer operation
- Officially licensed
- Detailed design
- Reversing warning sound
- Start button on remote control
- Auto standby mode
- 2 speeds
- Treaded rubber tyres
- Sturdy ABS body
- LED lights front
- Indicator light
- Flexible rubber exterior mirrors

Functions:

- Forward/Reverse
- Left/Right
- Stop
- 2 speed levels on the remote control
- Start button
- Reversing warning sound
- Realistic engine sound, can be switched off
- Realistic sound effects, can be switched off
- Horn
- Container doors manually open/close
- Manual steering fine adjustment
- Manually coupling and uncoupling
- Trailer supports up/down manually
- Manually removable container
- Top speed approx. 6 Km/h



Horn & Sound

2 speed levels

550 x 182 x 158 mm

Box content:

- Model
- Remote control 2,4GHz
- Decorative sheet (2 designs)
- Instructions

Required accessories:

- Remote control: 2 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)
- Model: 3 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)


Recommended Accessories:

- Charger „Charge Cell“ incl. 6 x NiMH 1,2V 2400mAh batteries, No. 153085



III. recommended accessories

See safety notes: 6+ | 2 | 4



Mercedes-Benz Arocs Container Truck 2,4GHz

No. 405148



Highlights:

- 2.4GHz transmitter for multiplayer operation
- Officially licensed
- Auto standby mode
- Treaded rubber tyres
- LED lights front/rear
- Indicator light

Functions:

- Forward/Reverse
- Left/Right
- Stop
- 2 speed levels on the remote control
- Realistic engine sound, can be switched off
- Horn
- Container doors manually open/close
- Coupling and uncoupling
- Trailer supports up/down
- Manually removable container
- Top speed approx. 6 Km/h

735 x 190 x 270 mm

4

Box content:

- Model
- Remote control 2,4GHz
- 2 Transport goods
- Instructions

Required accessories:

- Remote control: 2 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)
- Model: 7 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)


Recommended Accessories:

- Charger „Charge Cell“ incl. 6 x NiMH 1,2V 2400mAh batteries, No. 153085



III. recommended accessories

See safety notes: 6+ | 2 | 4



VW Käfer

No. 405110 red, 2MHz

No. 405111 cream, 40MHz

RC-METAL

DIE-CAST



Highlights:

- Officially licensed
- Many vehicle details in chrome design:

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Doors manually open/close
- Engine hood manually open/close
- Trunk manually open/close
- Top speed approx. 6 Km/h



310 x 140 x 220 mm



Box content:

- Model
- Remote control
- Instructions

Required accessories:

- Remote control: 2 x AAA 1,5V batteries, Ord. No. 140280 (5 pieces)
- Model: 4 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)

Recommended Accessories:

- Charger „Charge Cell“ incl. 6 x NiMH 1,2V 2400mAh batteries, No. 153085



III. recommended accessories

See safety notes: 6+ | 2 | 4



230 mm



92 mm



80 mm



636 g



Jeep Wrangler Rubicon 2,4GHz

No. 405124 yellow, 1:20

No. 405054 green, 1:14



Jeep Wrangler Rubicon 1:20

Highlights:

- 2.4GHz transmitter for multiplayer operation
- Officially licensed
- Treaded rubber tyres
- LED lights front/rear (illuminate in the respective direction of travel)

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Track adjustable
- Top speed approx. 7 Km/h

Box content:

- Model
- Remote control 2,4GHz
- Instructions

Required accessories:

- Remote control:
- 2 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)
- Model:
- 3 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)

Recommended Accessories:

- Charger „Charge Cell“ incl. 6 x NiMH 1,2V 2400mAh batteries, No. 153085



380 x 150 x 155 mm 1:20
490 x 240 x 250 mm 1:14



Jeep Wrangler Rubicon 1:14

Highlights:

- 2.4GHz transmitter for multiplayer operation
- Officially licensed
- Treaded rubber tyres
- Impact protection for a brawny appearance
- LED lights front/rear

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Track adjustable
- Top speed approx. 9 Km/h

Box content:

- Model
- Remote control 2,4GHz
- Instructions

Required accessories:

- Remote control:
- 2 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)
- Model:
- 6 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)

Recommended Accessories:

- Charger „Charge Cell“ incl. 6 x NiMH 1,2V 2400mAh batteries, No. 153085



See safety notes: 6+ | 2 | 4



1:20 / 1:14 ~210 / 350 mm ~120 / 195 mm ~120 / 180 mm ~442 / 998 g



405124

405054

405124

405054

405124

DELUXE CAR SERIES

over 160 models

all radio controlled

officially licensed



Mercedes-AMG GT3 transformable 2,4GHz

No. 410028 *grey*

No. 410029 *yellow*



Highlights:

- 2.4GHz transmitter for multiplayer operation
- Officially licensed
- Loudspeaker
- Dance mode
- Independent suspension

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Transformation to robot at the touch of a button
- Top speed approx. 4 Km/h



350 x 220 x 385 mm



Box content:

- Model
- Remote control 2,4GHz
- Shield
- Battle axe
- Instructions

Required accessories:

- Remote control: 3 x AAA 1,5V batteries, Ord. No. 140280 (4 pieces)
- Model: 4 x AA 1,5V batteries, Ord. No. 140265 (5 pieces)

Recommended Accessories:

- Charger „Charge Cell“ incl. 6 x NiMH 1,2V 2400mAh batteries, No. 153085



III. recommended accessories

See safety notes: 8+ | 2 | 4




Hummer EV 2,4GHz 1:26

402135

18



 385 x 130 x 115 mm


*5 x AA

Audi Q7 2,4GHz 1:24

400080

24



 285 x 140 x 120 mm

*5 x AA

Audi R8 2,4GHz 1:24


405100

18



405101



 385 x 120 x 100 mm


*5 x AA

Audi R8 LMS 2,4GHz 1:24

404435

18



 385 x 120 x 100 mm

*5 x AA

BMW i5 2,4GHz 1:24


402218

18



402219



 385 x 120 x 100 mm


*5 x AA

BMW XM 2,4GHz 1:24

402222

18



 385 x 130 x 115 mm

*5 x AA

*Required accessories

BMW i8 2,4GHz 1:24

404495

18




385 x 120 x 100 mm

*5 x AA

BMW i8 - UV Photochromic Serie 2,4GHz 1:24

403003

24



265 x 100 x 130 mm

*5 x AA

BMW 3.0 CSL 2,4GHz 1:24

402172

18



385 x 120 x 100 mm

*5 x AA

BMW M3 Sport 2,4GHz 1:24

403092

18



385 x 120 x 100 mm

*5 x AA

BMW Z4 Roadster 2,4GHz 1:24

405188

18



405189

405190



380 x 100 x 120 mm

*5 x AA

Bugatti Veyron Grand Sport Vitesse 2,4GHz 1:24

404551

18



385 x 120 x 100 mm

*5 x AA

*Required accessories

Bugatti Chiron 2,4GHz 1:24

■ 405136

18

■ 405137



385 x 120 x 100 mm

*5 x AA

Bugatti DIVO 2,4GHz 1:24

■ 402111

18



390 x 105 x 120 mm

*5 x AA

Ferrari F40 2,4GHz 1:24

■ 405167

18



385 x 120 x 100 mm

*5 x AA

Ferrari LaFerrari 2,4GHz 1:24

■ 404521

18



385 x 120 x 100 mm

*5 x AA

Ferrari 458 Speciale A 2,4GHz 1:24

■ 405033

18



385 x 120 x 100 mm

*5 x AA

Ferrari 488 GTB 2,4GHz 1:24

■ 405133

18



385 x 120 x 100 mm

*5 x AA


*Required accessories

Ferrari FXX K Evo 2,4GHz 1:24

■ 405185

18



 385 x 120 x 100 mm


*5 x AA

Ferrari SF90 Stradale 2,4GHz 1:24

■ 403124

18



 385 x 120 x 100 mm

*5 x AA

Ford GT 2,4GHz 1:24


■ 405156

18



■ 405157



 385 x 120 x 100 mm

*5 x AA

Jeep Wrangler JL 2,4GHz 1:24

■ 405194


18



■ 405195

■ 405196



 385 x 130 x 115 mm

*5 x AA

Jeep Wrangler Rubicon Muddy 2,4GHz 1:24

■ 403005

24



 265 x 130 x 110

*5 x AA


Lamborghini Aventador LP700 2,4GHz 1:24


■ 404400

18



□ 404401



 385 x 120 x 100 mm

*5 x AA

*Required accessories

Lamborghini Aventador SVJ 2,4GHz 1:24

405186

18

405187



385 x 120 x 100 mm

*5 x AA

Lamborghini Huracán STO 2,4GHz 1:24

402103

18



380 x 120 x 105 mm

*5 x AA

Lamborghini Huracán LP 610-4 2,4GHz 1:24

404594

18



385 x 120 x 100 mm

*5 x AA

Lamborghini Sián FKP 37 2,4GHz 1:24

403125

18

403126



385 x 120 x 100 mm

*5 x AA

Lamborghini SC63 LMDH 2,4GHz 1:24

402206

18



440 x 225 x 170 mm

*5 x AA

Land Rover Defender 2,4GHz 1:24

405154

18



385 x 135 x 120 mm

*5 x AA

*Required accessories

McLaren P1 2,4GHz 1:24

405104

18



385 x 120 x 100 mm

*5 x AA

McLaren Senna 2,4GHz 1:24

403121

18



385 x 120 x 100 mm

*5 x AA

Mercedes-AMG G 63 2,4GHz 1:24

405191

405192

405193

18



385 x 120 x 100 mm

*5 x AA

Mercedes-AMG G 63 Muddy 2,4GHz 1:24

403006

24



288 x 135 x 113 mm

*5 x AA

Mini Cooper S 2,4GHz 1:24

404035

24



265 x 130 x 110 mm

*5 x AA

Pagani Zonda R 2,4GHz 1:24

405143

18



385 x 120 x 100 mm

*5 x AA


*Required accessories

Porsche 911 GT2 RS Clubsport 25 2,4GHz 1:24

■ 402131

18



 385 x 120 x 100 mm


*5 x AA

Porsche 911 Dakar 2,4GHz 1:24

■ 402215

18



 385 x 120 x 100 mm

*5 x AA

Porsche GT3 RS 2,4GHz 1:24


■ 404095

18



□ 404096



 385 x 120 x 100 mm


*5 x AA

Range Rover Evoque 2,4GHz 1:24

□ 404480

18



 385 x 120 x 100 mm


*5 x AA

VW Beetle 2,4GHz 1:24

■ 405160

24



 265 x 130 x 110 mm


*5 x AA

Ferrari F1-75 2,4GHz 1:18

■ 402110

12



 380 x 175 x 145 mm

*5 x AA

*Required accessories

McLaren MCL36 2,4GHz 1:18

402109

12



380 x 175 x 145 mm

*5 x AA

Mercedes-AMG F1 W11 EQ Performance 2,4GHz 1:18

402107

12



380 x 145 x 165 mm

*5 x AA

Oracle Red Bull Racing RB18 2,4GHz 1:18

402150

12



380 x 170 x 150 mm

*5 x AA

BMW M4 CSL 2,4GHz 1:16

402163

8



380 x 185 x 165 mm

*6 x AA

Dodge Charger R/T 1970 2,4GHz 1:16

402117

6



Manually open/close ~~das~~
[Manually open/close trunk lid](#)
[Manually open/close bonnet](#)



430 x 255 x 175 mm

*7 x AA

Dodge Charger R/T 1970 2,4GHz 1:16

402116

6



Manually open/close ~~das~~
[Manually open/close trunk lid](#)



430 x 255 x 175 mm

*7 x AA

*Required accessories

Hummer EV 2,4GHz 1:16

402134



Manually open/close doors



[Crab Walk](#)



[Holder 6](#)
[6](#)
(Smartphone
not included)



400 x 235 x 190 mm

*7 x AA

Ferrari 296 GTS 2,4GHz 1:16

402161



380 x 185 x 165 mm

*6 x AA

Lamborghini Countach LPI 800-4 2,4GHz 1:16

402164



402165



380 x 185 x 165 mm

*6 x AA

Porsche 911 Sport Classic 2,4GHz 1:16

402162



380 x 185 x 165 mm

*6 x AA

AUDI RS Q e-tron E2 2,4GHz 1:14

402160



Manually open/close doors

[2 speed levels](#)
[Driftfunction](#)



430 x 255 x 225 mm

*7 x AA

*Required accessories

Aston Martin Valkyrie AMR Pro 2,4GHz 1:14

402168

402169



Manually open/close doors
[2 speed levels](#)



440 x 225 x 170 mm

*7 x AA

BMW i8 2,4GHz 1:14

404490



430 x 230 x 180 mm

*7 x AA

BMW i8 2,4GHz 1:14

404570

404571



Open/close doors by remote control



435 x 255 x 195 mm

*7 x AA

BMW i4 Concept 2,4GHz 1:14

402108



Manually open/close doors
[Interior light](#)



435 x 260 x 180 mm

*7 x AA

BMW 3.0 CSL 2,4GHz 1:14

402171



Manually open/close doors



400 x 225 x 175 mm

*7 x AA

BMW M3 Sport 2,4GHz 1:14

403071



435 x 225 x 175 mm

*7 x AA

*Required accessories

BMW M4 Coupe 2,4GHz 1:14

404566



435 x 225 x 175 mm

*7 x AA

BMW X6 M 2,4GHz 1:14

402120

402121

402122



400 x 225 x 190 mm

*7 x AA

BMW Z4 Roadster 2,4GHz 1:14

405173

405174



435 x 255 x 175 mm

*7 x AA

BMW M Hybrid V8 LMDH 2,4GHz 1:14

402210



400 x 225 x 175 mm

*7 x AA

Bugatti Chiron 2,4GHz 1:14

405134

405135



435 x 225 x 175 mm

*7 x AA

Bugatti Divo 2,4GHz 1:14

403131



435 x 255 x 175 mm

*7 x AA

*Required accessories

Ferrari F40 1:14

■ 405166 - 27MHz



Open flip-up headlights by remote control



435 x 225 x 175 mm

*7 x AA

Ferrari LaFerrari Aperta 2,4GHz 1:14

■ 405150



Manually open/close



435 x 255 x 175 mm

*7 x AA

Ferrari LaFerrari 2,4GHz 1:14

■ 404130



Manually open/close doors




435 x 225 x 195 mm

*7 x AA

Ferrari 458 Italia 2,4GHz 1:14

■ 404305



435 x 225 x 175 mm

*7 x AA

Ferrari FXX K Evo 2,4GHz 1:14

■ 405169



Manually open/close doors



435 x 255 x 175 mm

*7 x AA

Ferrari SF90 Stradale 2,4GHz 1:14

■ 403122



435 x 225 x 175 mm

*7 x AA

*Required accessories

Ferrari 499P 2,4GHz 1:14

■ 402170



Manually open/close doors
[2 speed levels](#)



440 x 225 x 170 mm

*7 x AA

Ford Shelby GT 500 2,4GHz 1:14

■ 404540

■ 404541



435 x 225 x 175 mm

*7 x AA

Jeep Wrangler JL 2,4GHz 1:14

■ 405178

■ 405180



Manually open/close doors



435 x 255 x 195 mm

*7 x AA

Lamborghini Sesto Elemento 2,4GHz 1:14

■ 402112



430 x 225 x 175 mm

*7 x AA

Lamborghini Aventador SVJ 2,4GHz 1:14

■ 405170

■ 405171



405 x 230 x 180 mm

*7 x AA

Lamborghini Aventador SVJ Performance 2,4GHz 1:14

□ 405172



435 x 225 x 175 mm

*7 x AA

*Required accessories

Lamborghini Huracán STO 2,4GHz 1:14

402100

402125



Manually open/close doors
[Manually open/close trunk lid](#)



405 x 230 x 180 mm

*7 x AA

Lamborghini Sián FKP 37 2,4GHz 1:14

403127

403128



Manually open/close doors



435 x 225 x 175 mm

*7 x AA

Lamborghini SC63 LMDH 2,4GHz 1:14

402205



Manually open/close doors
[2 speed levels](#)



440 x 225 x 170 mm

*7 x AA

Land Rover Defender 2,4GHz 1:14

405155

403135



Manually open/close doors



435 x 255 x 195 mm

*7 x AA

McLaren Senna 2,4GHz 1:14

403118

403119



Manually open/close doors



435 x 225 x 175 mm

*7 x AA

McLaren P1 GTR 2,4GHz 1:14

405092



435 x 225 x 175 mm

*7 x AA

*Required accessories

McLaren P1 2,4GHz 1:14

■ 405093



Manually open/close doors



435 x 255 x 175 mm

*7 x AA

Mercedes-AMG GT3 Performance 2,4GHz 1:14

■ 405072



Manually open/close doors



435 x 225 x 175 mm

*7 x AA

Mercedes-AMG G 63 2,4GHz 1:14

■ 405176

□ 405177



Manually open/close doors



435 x 255 x 195 mm

*7 x AA

Porsche 911 GT3 Cup 2,4GHz 1:14

□ 405153



Manually open/close doors



435 x 225 x 175 mm

*7 x AA

Porsche GT3 RS 2,4GHz 1:14

■ 404310

□ 404311



435 x 225 x 175 mm

*7 x AA

Porsche 911 GT2 RS Clubsport 25 2,4GHz 1:14

■ 402130



Manually open/close doors



400 x 225 x 190 mm

*7 x AA

*Required accessories

Porsche 911 Dakar Performance 2,4GHz 1:14

402212



Manually open/close **das**
Manly removable roof rack



400 x 225 x 175 mm

*7 x AA

Porsche 911 Dakar 2,4GHz 1:14

402214



Manually open/close **das**
Manly removable roof rack



400 x 225 x 175 mm

*7 x AA

BMW i8 Roadster 2,4GHz 1:12

405183



500 x 280 x 205 mm

*7 x AA

Ferrari F1-75 2,4GHz 1:12

402105



525 x 225 x 170 mm

*7 x AA

McLaren MCL36 2,4GHz 1:12

402104



525 x 225 x 170 mm

*7 x AA

Mercedes-AMG F1 W11 EQ Performance 2,4GHz 1:12

402106



530 x 230 x 175 mm

*7 x AA

*Required accessories

Oracle Red Bull Racing RB18 2,4GHz 1:12

■ 402140



520 x 225 x 170 mm

*7 x AA

Porsche 911 Carrera S 2,4GHz 1:12

■ 403085



500 x 280 x 205 mm

*7 x AA



*KönnigleitetrasZusatzför

Ferrari SF 1000 / Ferrari FXX K EVO 2,4GHz - Kit

No. 403007 [Ferrari SF 1000](#)

No. 403115 [Ferrari FXX K EVO](#)



Ferrari SF 1000

Highlights:

- 2.4GHz transmitter for multiplayer operation
- Officially licensed
- True to original paintwork
- Components are connected by simply plugging them together
- No tools or glue necessary
- Decal sheet included

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Top speed approx. 11 Km/h

Box content:

- Model consists of 65 parts
- Remote control 2,4GHz
- Instructions

Required accessories:

- Remote control:
- 2 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)
- Model:
- 3 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)


Recommended Accessories:

- Charger „Charge Cell“
- incl. 6 x NiMH 1,2V 2400mAh batteries, No. 153085

Ferrari SF 1000



Ferrari FXX K EVO



425 x 80 x 285 mm - SF 1000
430 x 285 x 80 - FXX K EVO



Ferrari FXX K EVO

Highlights:

- 2.4GHz transmitter for multiplayer operation
- Officially licensed
- Detailed interior
- True to original paintwork
- Transparent windscreen
- Components are connected by simply plugging them together
- No tools or glue necessary
- Decal sheet included

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Manually open/close doors
- Top speed approx. 10 Km/h

Box content:

- Model consists of 92 parts
- Remote control 2,4GHz
- Instructions

Required accessories:

- Remote control:
- 2 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)
- Model:
- 3 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)



Recommended Accessories:

- Charger „Charge Cell“
- incl. 6 x NiMH 1,2V 2400mAh batteries, No. 153085



III. recommended accessories

See safety notes: 8+ | 2 | 4



SF 1000 / FXX

*275 / 272 mm

*113 mm

*69 mm

*382 / 468 g



403007

403115

403007

403115



BMW M8 GTE / Lamborghini Sián FKP 37 2,4GHz - Kit

No. 403130 BMW M8 GTE

No. 403129 Lamborghini Sián FKP 37



BMW M8 GTE

Highlights:

- 2.4GHz transmitter for multiplayer operation
- Officially licensed
- Detailed interior
- True to original paintwork
- Transparent windscreen
- Components are connected by simply plugging them together
- No tools or glue necessary
- Decal sheet included

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Manually open/close doors
- Top speed approx. 10 Km/h

Box content:

- Model consists of 74 parts
- Remote control 2,4GHz
- Instructions

Required accessories:

- Remote control:
- 2 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)
- Model:
- 3 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)

Recommended Accessories:

- Charger „Charge Cell“
- incl. 6 x NiMH 1,2V 2400mAh batteries, No. 153085

BMW M8 GTE



Lamborghini Sián FKP 37



430 x 285 x 80 mm



Lamborghini Sián FKP 37

Highlights:

- 2.4GHz transmitter for multiplayer operation
- Officially licensed
- Detailed interior
- True to original paintwork
- Transparent windscreen
- Components are connected by simply plugging them together
- No tools or glue necessary
- Decal sheet included

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Manually open/close doors
- Top speed approx. 10 Km/h

Box content:

- Model consists of 72 parts
- Remote control 2,4GHz
- Instructions

Required accessories:

- Remote control:
- 2 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)
- Model:
- 3 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)



Recommended Accessories:

- Charger „Charge Cell“
- incl. 6 x NiMH 1,2V 2400mAh batteries, No. 153085



III. recommended accessories

See safety notes: 8+ | 2 | 4



BMW / Lambo. - 283 / 279 - mm

~124 / 127 mm

~70 / 66 mm

~504 / 360 g



403130 4 042774 462437



403129 4 042774 462420



Porsche 911 GT2 RS Clubsport 25 2,4GHz - Kit

No. 402190



Highlights:

- 2.4GHz transmitter for multiplayer operation
- Officially licensed
- Detailed interior
- True to original paintwork
- Transparent windscreen
- LED lights front
- Components are connected by simply plugging
- No tools or glue necessary
- Decal sheet included

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Manually open/close doors
- Top speed approx. 10 Km/h



430 x 285 x 80 mm



Box content:

- Model consists of 76 parts
- Remote control 2,4GHz
- Instructions

Required accessories:

- Remote control:
- 2 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)
- Model:
- 3 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)


Recommended Accessories:

- Charger „Charge Cell“
- incl. 6 x NiMH 1,2V 2400mAh batteries, No. 153085



III. recommended accessories

See safety notes: 8+ | 2 | 4



Extron 2,4GHz

No. 053300



Highlights:

- 2.4GHz transmitter for multiplayer operation
- All-wheel drive
- Ball bearing drive
- Suspension
- Infinitely variable throttle and steering
- High-grip performance tyres
- Independent front/rear suspension
- Maximum speed from beginner to pro can be preset
- 2.4 GHz transmitter
- Front/rear bumper guards
- Sturdy roll bar

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Top speed approx. 25 Km/h



Box content:

- Model
- Remote control 2,4GHz
- Drive battery
- USB charger
- Instructions

Required accessories:

for Remote control 3 x AA Batteries

140267

See safety notes: 10+ | 2 | 4 | 9

~270 mm	~230 mm	~145 mm	~1100 g	Lilon 7,4V 1500mAh



--	--	--	--	--	--	--	--	--	--	--

Whelon 2,4GHz

No. 053355




Highlights:

- 2.4GHz transmitter for multiplayer operation
- All-wheel drive
- Splash-proof electronics
- Enclosed gearbox unit
- Aluminium finned motor cooler
- Cardan drive shafts at the front
- External battery boxes for quick battery replacement
- Suspended chassis, damper angle and track adjustable
- Infinitely variable throttle and steering
- High-grip performance tyres
- Maximum speed from beginner to pro can be preset
- 2.4GHz transmitter
- Active under voltage cut off

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Top speed approx. 35 Km/h



Box content:

- Model
- Remote control 2,4GHz
- 2 drive batteries
- Charger
- Instructions

Required accessories:

for Remote control 2 x AA Batteries

140267

420 x 310 x 190 mm



See safety notes: 14+ | 1 | 9



330 mm




290 mm



170 mm




~1353 g




2 x Li-Ion

37V
1500mAh



500



J-Rock 2,4GHz

No. 410113



Highlights:

- 2.4GHz transmitter for multiplayer operation
- 2 drive motors front/rear
- All-wheel drive
- Suspension
- High ground clearance
- Extreme articulation capability
- Infinitely variable throttle and steering
- High-grip performance tyres
- Locked axles
- Axles decoupled from chassis

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Adjustable track
- Top speed approx. 20 Km/h



Box content:

- Model
- Remote control 2,4GHz
- Drive battery
- USB charger
- Instructions

Required accessories:


for Remote control 4 x AA Batteries

140267


See safety notes: 14+ | 1 | 9



~475 mm



~266 mm



~240 mm



~1759 g



Lilon
7,4V 1200mAh



Lextron EP | BL 2,4GHz

No. 053110 EP

No. 053111 EP

No. 053112 BL Lipo



Highlights:

- 2.4GHz transmitter for multiplayer operation
- Speed controller 40 A, cooled, programmable (053110/11)
- Brushless speed controller 60A, actively cooled (053112)
- Brushless motor 3200KV with up to 40000 rpm
- All-wheel drive with steel differentials
- LiPo battery in hard case (053111/12)
- 2 bright LED headlights
- Splash-proof electronics
- Sturdy aluminium roll cage
- Anodised aluminium chassis in titanium design
- Aluminium chassis stiffener on top
- Adjustable oil shock absorbers with aluminium caps
- Fully adjustable suspension
- Infinitely variable throttle and steering
- Fast powerful steering servo
- High-grip performance tyres
- Pivot-ball front suspension
- Transparent main gear protection

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Top speed approx. 35 Km/h (053110)
- Top speed approx. 40 Km/h (053111)
- Top speed approx. 65 Km/h (053112)



EP LiPo Version

510 x 200 x 285 mm



Box content:

- Model
- Remote control 2,4GHz
- Drive battery
- Charger
- Instructions with tuning list

Required accessories:

for Remote control 4 x AA Batteries

140267

Recommended Accessories:

Page 240

See safety notes: 14+ | 1 | 9



~410 mm



~270 mm



~156 mm



~2519 g EP
~2590 g BL




1 x 4,5 kg




NiMH
72V
2000mAh



LiPo
7,4V 5000mAh



Venti 550, 270W



3650, 420W
3200 KV



Splinter EP 2,4GHz

No. 053270 EP

No. 053271 EP Lipo



Highlights:

- 2.4GHz transmitter for multiplayer operation
- Speed controller 40 A, cooled, programmable
- All-wheel drive with steel differentials
- LiPo battery in hard case (053271)
- 2 bright LED headlights
- Splash-proof electronics
- Sturdy aluminium roll cage
- Anodised aluminium chassis in titanium design
- Aluminium chassis stiffener on top
- Adjustable oil shock absorbers with aluminium caps
- Fully adjustable suspension
- Infinitely variable throttle and steering
- Fast powerful steering servo
- High-grip performance tyres
- Pivot-ball front suspension
- Transparent main gear protection

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Top speed approx. 35 Km/h (053270)
- Top speed approx. 40 Km/h (053271)



EP LiPo Version

510 x 200 x 285 mm



Box content:

- Model
- Remote control 2,4GHz
- Drive battery
- Charger
- Instructions with tuning list

Required accessories:

for Remote control 4 x AA Batteries

140267


Recommended Accessories:

Page 240


See safety notes: 14+ | 1 | 9



~410 mm



~270 mm



~156 mm



~2519 g EP




1 x 4,5 kg



NiVh
72V 200
mAh



LiPo
7,4V 5000mAh



Venti 550, 270W



Dakar EP 2,4GHz

No. 053290 EP

No. 053291 EP Lipo



Highlights:

- 2.4GHz transmitter for multiplayer operation
- Speed controller 40 A, cooled, programmable
- All-wheel drive with steel differentials
- LiPo battery in hard case (053291)
- 4 bright LED headlights
- Splash-proof electronics
- Adjustable slipper clutch
- Enclosed gearbox unit
- Anodised aluminium chassis in titanium design
- Aluminium chassis stiffener on top
- Adjustable oil shock absorbers with aluminium caps
- Fully adjustable suspension
- Infinitely variable throttle and steering
- Fast powerful steering servo
- High-grip performance tyres
- Pivot-ball front suspension

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Hinged body
- Top speed approx. 35 Km/h (053290)
- Top speed approx. 40 Km/h (053291)



EP LiPo Version

630 x 315 x 480 mm



Box content:

- Model
- Remote control 2,4GHz
- Drive battery
- Charger
- Instructions with tuning list

Required accessories:

for Remote control 4 x AA Batteries

140267

Recommended Accessories:

Page 240

See safety notes: 14+ | 1 | 9

~110 mm	~290 mm	~220 mm	~3010 g EP ~2981 g EP LiPo	1 x 4,5 kg	NiMH 72V 2000mAh	LiPo 7,4V 5000mAh	EP EP LiPo Venti 550, 270W

053290 4042774 89280 2

053291 4042774 89281 9

3 RTR 4WD 2,4GHz Outdoor 1:10 Li-PO Water Proof LED 14+

Crossmo EP 2,4GHz

No. 053130 EP

No. 053131 EP Lipo



Highlights:

- 2.4GHz transmitter for multiplayer operation
- Speed controller 40 A, cooled, programmable
- All-wheel drive with steel differentials
- LiPo battery in hard case (053131)
- Splash-proof electronics
- Encapsulated gear unit with quick-release fasteners
- Battery compartment with Velcro fastener
- Chassis with aluminium reinforcements front/rear
- Adjustable oil shock absorbers with aluminium caps
- Fully adjustable suspension
- Aluminium wishbone stiffening for stabilisation
- Infinitely variable throttle and steering
- Fast powerful steering servo
- High-grip performance tyres
- Pivot-ball front suspension
- Stone guard on the centre drive shaft
- Crash protection with second permanent crumple zone

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Top speed approx. 35 Km/h (053130)
- Top speed approx. 40 Km/h (053131)



Box content:

- Model
- Remote control 2,4GHz
- Drive battery
- Charger
- Instructions with tuning list

Required accessories:

for Remote control 4 x AA Batteries

140267

Recommended Accessories:

Page 240



EP LiPo Version

605 x 350 x 250 mm



See safety notes: 14+ | 1 | 9

~440 mm	~335 mm	~225 mm	~3049 g EP ~2775 g EP Lipo	1 x 4,5 kg	NiMH 72V 2000mAh	LiPo 7,4V 5000mAh	Venti 550, 270W

053130
4 042774 464387

053131
4 042774 464394

3 RTR 4WD 2,4GHz Outdoor 1:10 Li-PO Waterproof 14+

Skull EP 2,4GHz

No. 059735 EP

No. 059736 EP LiPo




Highlights:

- 2.4GHz transmitter for multiplayer operation
- Speed controller 40 A, cooled, programmable
- All-wheel drive with steel differentials
- LiPo battery in hard case (059736)
- Splash-proof electronics
- Encapsulated gear unit with quick-release fasteners
- Battery compartment with Velcro fastener
- Chassis with aluminium reinforcements front/rear
- Adjustable oil shock absorbers with aluminium caps
- Fully adjustable suspension
- Aluminium wishbone stiffening for stabilisation
- Infinitely variable throttle and steering
- Fast powerful steering servo
- High-grip performance tyres
- Pivot-ball front suspension
- Stone guard on the centre drive shaft
- Crash protection with second permanent crumple zone

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Top speed approx. 35 Km/h ((059735)
- Top speed approx. 40 Km/h (059736)



EP LiPo Version

605 x 350 x 250 mm



Box content:

- Model
- Remote control 2,4GHz
- Drive battery
- Charger
- Instructions with tuning list

Required accessories:




for Remote control 4 x AA Batteries

140267

Recommended Accessories:

Page 240

See safety notes: 14+ | 1 | 9



Veloce EP 2,4GHz

No. 053370 EP

No. 053371 EP Lipo



Highlights:

- 2.4GHz transmitter for multiplayer operation
- Speed controller 40 A, cooled, programmable
- All-wheel drive with steel differentials
- LiPo battery in hard case (053371)
- 2 bright LED headlights
- Splash-proof electronics
- Anodised aluminium chassis in titanium design
- Aluminium chassis stiffener on top
- Adjustable oil shock absorbers with aluminium caps
- Fully adjustable suspension
- Infinitely variable throttle and steering
- Fast powerful steering servo
- High-grip performance tyres
- Pivot-ball front suspension
- Transparent main gear protection

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Top speed approx. 35 Km/h (053370)
- Top speed approx. 40 Km/h (053371)



Box content:

- Model
- Remote control 2,4GHz
- Drive battery
- Charger
- Instructions with tuning list

Required accessories:

for Remote control 4 x AA Batteries

140267

Recommended Accessories:

Page 240



EP LiPo Version

520 x 200 x 330 mm



See safety notes: 14+ | 1 | 9

~420 mm	~320 mm	~180 mm	~2500 g EP	1 x 4,5 kg	NiMH	LiPo	EP EP LiPo
			~2600 g EP LiPo		72V	7,4V 5000mAh	Venti 550, 270W
					2000mAh		



--	--	--	--	--	--	--	--	--



Shiro EP 2,4GHz

No. 053366 EP

No. 053367 EP LiPo



Highlights:

- 2.4GHz transmitter for multiplayer operation
- Speed controller 40 A, cooled, programmable
- All-wheel drive with steel differentials
- LiPo battery in hard case (053367)
- 2 bright LED headlights
- Splash-proof electronics
- Anodised aluminium chassis in titanium design
- Aluminium chassis stiffener on top
- Adjustable oil shock absorbers with aluminium caps
- Fully adjustable suspension
- Infinitely variable throttle and steering
- Fast powerful steering servo
- High-grip performance tyres
- Pivot-ball front suspension
- Transparent main gear protection

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Top speed approx. 35 Km/h (053366)
- Top speed approx. 40 Km/h (053367)



EP LiPo Version

610 x 350 x 250 mm



Box content:

- Model
- Remote control 2,4GHz
- Drive battery
- Charger
- Instructions with tuning list

Required accessories:

for Remote control 4 x AA Batteries

140267

Recommended Accessories:

Page 240

See safety notes: 14+ | 1 | 9

~445 mm	~330 mm	~220 mm	~2590 g EP	1 x 4,5 kg	NiMH	LiPo	EP EP LiPo
			~2800 g EP LiPo		72V	7,4V 5000mAh	Venti 600, 290W
					2000mAh		

053366
4 042774 1429843

053367
4 042774 1429850

--	--	--	--	--	--	--	--	--



Ice Tiger EP | BL 2,4GHz

No. 053360 EP

No. 053361 EP

No. 053362 BL Lipo



Highlights:

- 2.4GHz transmitter for multiplayer operation
- Speed controller 40 A, cooled, programmable (053360/61)
- Brushless speed controller 60A, actively cooled (053362)
- Brushless motor 3200KV with up to 40000 rpm (053362)
- All-wheel drive with steel differentials
- LiPo battery in hard case (053361/62)
- 2 bright LED headlights
- Splash-proof electronics
- Anodised aluminium chassis in titanium design
- Aluminium chassis stiffener on top
- Adjustable oil shock absorbers with aluminium caps
- Fully adjustable suspension
- Infinitely variable throttle and steering
- Fast powerful steering servo
- High-grip performance tyres
- Pivot-ball front suspension
- Transparent main gear protection

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Top speed approx. 35 Km/h (053360)
- Top speed approx. 40 Km/h (053361)
- Top speed approx. 65 Km/h (053362)



Box content:

- Model
- Remote control 2,4GHz
- Drive battery
- Charger
- Instructions with tuning list

Required accessories:

for Remote control 4 x AA Batteries

140267

Recommended Accessories:

Page 240



BL LiPo Version

600 x 245 x 350 mm



See safety notes: 14+ | 1 | 9



445 mm



335 mm



205 mm



~2590 g EP
~2800 g EP LiPo
~2900 BL LiPo



1 x 4,5 kg



72V
2000mAh




LiPo
7,4V 5000mAh



Venti 600, 270W



3650, 420W
3200 KV



Tiger EP 2,4GHz

No. 503853 EP

No. 503854 EP LiPo



Highlights:

- 2.4GHz transmitter for multiplayer operation
- Speed controller 40 A, cooled, programmable
- All-wheel drive with steel differentials
- LiPo battery in hard case (503854)
- 2 bright LED headlights
- Splash-proof electronics
- Anodised aluminium chassis in titanium design
- Aluminium chassis stiffener on top
- Adjustable oil shock absorbers with aluminium caps
- Fully adjustable suspension
- Infinitely variable throttle and steering
- Fast powerful steering servo
- High-grip performance tyres
- Pivot-ball front suspension
- Transparent main gear protection

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Top speed approx. 35 Km/h (503853)
- Top speed approx. 40 Km/h (503854)



EP LiPo Version

600 x 250 x 350 mm



Box content:

- Model
- Remote control 2,4GHz
- Drive battery
- Charger
- Instructions with tuning list

Required accessories:

for Remote control 4 x AA Batteries

140267

Recommended Accessories:

Page 240

See safety notes: 14+ | 1 | 9

~430 mm	~335 mm	~210 mm	~2590 g EP ~2800 g EP LiPo	1 x 4,5 kg	NiMH 72V 2000mAh	LiPo 7,4V 5000mAh	Venti 600, 290W

503853
4 0 4 2 7 7 4 1 4 3 2 1 1 9

503854
4 0 4 2 7 7 4 1 4 3 2 1 2 6

--	--	--	--	--	--	--	--	--	--	--

Myron BL 2,4GHz

No. 053365 BL LiPo



Wheeliebar




Highlights:

- 2.4GHz transmitter for multiplayer operation
- Brushless speed controller 60A, actively cooled
- Programmable
- Brushless motor 3200KV with up to 40000 rpm
- All-wheel drive with steel differentials
- LiPo battery in hard case
- 2 bright LED headlights
- Splash-proof electronics
- Anodised aluminium chassis in titanium design
- Aluminium chassis stiffener on top
- Adjustable oil shock absorbers with aluminium caps
- Fully adjustable suspension
- Infinitely variable throttle and steering
- Fast powerful steering servo
- High-grip performance tyres
- Pivot-ball front suspension
- Transparent main gear protection
- Wheeliebar for controlled driving on the rear wheel
- Protection against rollovers

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Top speed approx. 65 Km/h



610 x 350 x 250 mm

Box content:

- Model
- Remote control 2,4GHz
- Drive battery
- Charger
- Instructions with tuning list

Required accessories:

for Remote control 4 x AA Batteries

140267

Recommended Accessories:

Page 240

See safety notes: 14+ | 1 | 9

~475 mm	~335 mm	~195 mm	~2979 g	1 x 4,5 kg	LiPo 7,4V 5000mAh	B3650, 40V 30 KV



--	--	--	--	--	--	--	--	--	--	--	--

Nightstorm BL 2,4GHz

No. 059737 BL Lipo




Wheeliebar



Highlights:

- 2.4GHz transmitter for multiplayer operation
 - Brushless speed controller 60A, actively programmable
 - Brushless motor 3200KV with up to 40000 rpm
 - All-wheel drive with steel differentials
 - LiPo battery in hard case
 - 2 bright LED headlights
 - Splash-proof electronics
 - Adjustable slipper clutch
 - Encapsulated gear unit with quick-release fasteners
 - Battery compartment with Velcro fastener
 - Chassis with aluminium reinforcements front/rear
 - Adjustable oil shock absorbers with aluminium axle caps
 - Fully adjustable suspension
 - Aluminium wishbone stiffening for stabilisation
 - Infinitely variable throttle and steering
 - Fast powerful steering servo
 - High-grip performance tyres
 - Pivot-ball front suspension
 - Stone guard on the centre drive shaft
 - Crash protection with second permanent crumple zone
 - Wheeliebar for controlled driving on the rear wheels
 - Full protection against rollovers
- Functions:**
- Forward/Reverse
 - Left/Right
 - Stop
 - Top speed approx. 65 Km/h



610 x 350 x 250 mm



Box content:

- Model
- Remote control 2,4GHz
- Drive battery
- Charger
- Instructions with tuning list

Required accessories:

for Remote control 4 x AA Batteries

140267

Recommended Accessories:

Page 240

See safety notes: 14+ | 1 | 9

~480 mm	~340 mm	~210 mm	~2732 g	1 x 4,5 kg	LiPo 7,4V 5000mAh	B3650, 40V 30 KV



--	--	--	--	--	--	--	--	--	--	--	--	--

Akron BL 2,4GHz

No. 053265 BL LiPo



Wheeliebar



Highlights:

- 2.4GHz transmitter for multiplayer operation
- Brushless speed controller 60A, actively cooled
- Programmable
- Brushless motor 3200KV with up to 40000 rpm
- All-wheel drive with steel differentials
- LiPo battery in hard case
- 2 bright LED headlights
- Splash-proof electronics
- Anodised aluminium chassis in titanium design
- Aluminium chassis stiffener on top
- Adjustable oil shock absorbers with aluminium caps
- Fully adjustable suspension
- Infinitely variable throttle and steering
- Fast powerful steering servo
- High-grip performance tyres
- Pivot-ball front suspension
- Transparent main gear protection
- Wheeliebar for controlled driving on the rear wheel
- Mud protection against rollovers

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Top speed approx. 65 Km/h



Box content:

- Model
- Remote control 2,4GHz
- Drive battery
- Charger
- Instructions with tuning list

Required accessories:

for Remote control 4 x AA Batteries

140267

Recommended Accessories:

Page 240

610 x 350 x 250 mm



See safety notes: 14+ | 1 | 9

~475 mm	~330 mm	~195 mm	~2979 g	1 x 4,5 kg	LiPo 7,4V 5000mAh	B3650, 40V 30 KV



--	--	--	--	--	--	--	--	--	--	--	--

Brecker EP | BL 2,4GHz

No. 059738 EP

No. 059739 EP LiPo

No. 059740 BL LiPo



Wheeliebar (059740)



Highlights:

- 2.4GHz transmitter for multiplayer operation
- Speed controller 40 A, cooled, programmable (059738/39)
- Brushless motor 3200KV with up to 40000 rpm (059740)
- Brushless speed controller 60A, actively cooled (059740)
- All-wheel drive with steel differentials
- LiPo battery in hard case (059739/40)
- 2 bright LED headlights (059740)
- Splash-proof electronics
- Enclosed gearbox unit
- Anodised aluminium chassis in titanium design
- Aluminium chassis stiffener on top
- Adjustable oil shock absorbers with aluminium caps
- Fully adjustable suspension
- Aluminium wishbone stiffening for stabilisation
- Infinitely variable throttle and steering
- Fast powerful steering servo
- High-grip performance tyres
- Pivot-ball front suspension
- Crash protection with second permanent crumple zone
- Adjustable rear spoiler
- Wheeliebar for controlled driving on the rear wheel
- Protection against rollovers (059740)

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Top speed approx. 35 Km/h (059738)
- Top speed approx. 40 Km/h (059739)
- Top speed approx. 65 Km/h (059740)



Box content:

- Model
- Remote control 2,4GHz
- Drive battery
- Charger
- Instructions with tuning list

Required accessories:

for Remote control 4 x AA Batteries

140267

Recommended Accessories:

Page 240



BL LiPo Version

600 x 220 x 345 mm



See safety notes: 14+ | 1 | 9

~490 mm	~312 mm	~185 mm	~2883 g EP ~2693 EP LiPo ~2793 BL LiPo	1 x 4,5 kg	NiMH 72V 2000mAh	LiPo 7,4V 5000mAh	Venti 550, 270W	3650, 420W 3200 KV

--	--	--	--	--	--	--	--	--	--

059738		4 042774 450188
059739		4 042774 450175
059740		4 042774 450182

Ultra BL 8 2,4GHz

No. 059730 BL Lipo



Highlights:

- 2.4GHz transmitter for multiplayer operation
- Brushless speed controller 60A, actively cooled
- Programmable
- Brushless motor 3200KV with up to 40000 rpm
- All-wheel drive with steel differentials
- LiPo battery in hard case
- Splash-proof electronics
- Adjustable slipper clutch
- Enclosed gearbox unit
- Red anodised aluminium chassis
- Aluminium chassis stiffener on top
- Adjustable oil pressure shock absorbers with anti-rung
- Fully adjustable suspension
- Infinitely variable throttle and steering
- Fast powerful steering servo
- High-grip performance tyres
- Pivot-ball front suspension
- Adjustable rear spoiler

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Top speed approx. 65 Km/h



Box content:

- Model
- Remote control 2,4GHz
- Drive battery
- Charger
- Instructions with tuning list

Required accessories:

for Remote control 4 x AA Batteries

140267


Recommended Accessories:

Page 240


See safety notes: 14+ | 1 | 9



505 mm



290 mm




210 mm



2692 g



1 x 4,5 kg



LiPo
7,4V 5000mAh



B3650, 40V
30 KV



Shifter 2,4GHz

No. 410066

SHIFTER STUNT RACER



Highlights:

- 2.4GHz transmitter for multiplayer operation
- 4 wheel drive
- Treaded rubber tyres
- Rollover resistant
- Overcomes almost every obstacle and extreme slopes
- Also rides on its back

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Fast 360° turns around its own axis
- Top speed approx. 7 Km/h



245 x 180 x 160 mm




Box content:

- Model
- Remote control 2,4GHz
- Instructions

Required accessories:

- Remote control: 2 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)
- Model: 4 x AAA 1,5V batteries, Ord. No. 140280 (4 pieces)

See safety notes: 6+ | 2 | 4



SpinX 2,4GHz

No. 410175 purple/pink

No. 410176 red/black

STUNTCAR SPINX



Highlights:

- 2.4GHz transmitter for multiplayer operation
- 4 wheel drive
- Treaded rubber tyres
- LED lights
- Rollover resistant
- Overcomes almost every obstacle and extreme slopes
- Also rides on its back

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Fast 360° turns around its own axis
- LED light on/off
- Top speed approx. 7 Km/h



Box content:

- Model
- Remote control 2,4GHz
- Drive battery
- USB charger
- Instructions






Required accessories:

- Remote control:
- 2 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)

250 x 190 x 90 mm



See safety notes: 6+ | 2 | 4 | 9

 ~162 mm	 ~150mm	 ~75 mm	 ~350 g	 Lith 3,7V 500mAh
---	---	---	---	---

410175	
410176	

 FAHRZEIT RUNNING TIME ~20 MIN	 USB LADEZEIT CHARGING TIME ~4h	 5		 4 WD	 2,4 GHz	 Li-Ion	 6+
--	---	--	---	--	---	---	---

Runny One | Two

No. 403600 Runny One, 2MHz

No. 403601 Runny Two, 40MHz

**RUNNY
TWO**

**RUNNY
ONE**



Highlights:

- Treaded rubber tyres
- Front bull bar
- Floor lighting

Functions:

- Forward/Reverse
- Left/Right
- Stop
- Track adjustable
- Top speed approx. 6 Km/h



156 x 100 x 117 mm



Box content:

- Model
- Remote control
- Instructions

Required accessories:

- Remote control:
2 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)
- Model:
2 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)


Recommended Accessories:

- Charger „Charge Cell“
incl. 6 x NiMH 1,2V 2400mAh batteries, No. 153085



III. recommended accessories

See safety notes: 4+ | 2 | 4



RC Water Animals 2,4GHz

No. 410108 Swan

No. 410109 Flamingo

No. 410110 Duck

RC Water Animals



Highlights:

- 2.4GHz transmitter for multiplayer operation
- With safety function!
- Propellers only turn in water
- 2 drive motors
- Easy to steer

Functions:

- Forward/Reverse
- Left/Right



Box content:

- Model
- Remote control 2,4GHz
- Instructions


Required accessories:

- Remote control:
- 4 x AA 1,5V batteries, Ord. No. 140267 (4 pcs.)
- Model:
- 3 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)

Spare parts:

Propeller 040471

See safety notes: 6+ | 2 | 4 | 5



Atlantique

No. 040250, 27MHz



- Highlights:**
- 2 drive motors
 - Lead weight for position stabilisation
- Functions:**
- Forward/Reverse
 - Left/Right



450 x 120 x 560 mm



Box content:

- Model
- Remote control
- 2 spare propellers
- Model stand
- Instructions

Required accessories:

- Remote control: 1 x 9V battery, Ord. No. 140260
- Model: 3 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)


Spare parts:

Propeller 040252

See safety notes: 8+ | 2 | 4 | 5



380 mm



84 mm



520 mm



496 g



040250 4 042774 1331221



Venezia

No. 040390, 40MHz



Venezia



Highlights:

- With safety function!
- Propellers only turn in water
- 2 drive motors
- Cover with quick release fastener
- LED illuminated remote control
- Steel drive shafts
- Elaborately designed replica in high-quality wood look

Functions:

- Forward/Reverse
- Left/Right



560 x 175 x 165 mm



Box content:

- Model
- Remote control
- 2 spare propellers
- Model stand
- Instructions

Required accessories:

- Remote control: 1 x 9V battery, Ord. No. 140260
- Model: 8 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)

Spare parts

- Propeller, 2 pieces 040392
- Remote control 040393

See safety notes: 8+ | 2 | 4 | 5



Barbados 2,4GHz

No. 040670

Barbados Motor Yacht



Highlights:

- 2.4GHz transmitter for multiplayer operation
- 2-fold protection of the boat's electronics against moisture
- 2 drive motors
- Trim rudder on the boat & fine trim on the remote control
- Speed and steering infinitely/proportionally adjustable
- Easy to steer
- Cover with quick release fastener
- Metal drive shaft and guide tube
- Flow-optimised water screws

Functions:

- Left/Right
- Forward
- Top speed approx. 20 Km/h



745 x 255 x 300 mm



Box content:

- Model
- Remote control 2,4GHz
- Drive battery
- Charger
- 2 spare propellers
- Model stand
- Instructions

Required accessories:

- Remote control:
- 6 x AA 1,5V batteries, Ord. No. 14 0267 (4 pieces)

Spare parts

Propeller, 2 pieces	040384
Nut for propeller	040386
Battery	040676
Charger	040677

See safety notes: 14+ | 1

~715 mm	~200 mm	~280 mm	~1815 g	NiVh 8V 2000mAh



--	--	--	--	--



Capter 2,4GHz

No. 410138 white/red

No. 410139 black/green

CAPTER




Highlights:

- 2.4GHz transmitter for multiplayer operation
- With safety function!
- Propellers only turn in water
- 2 drive motors
- Easy to steer
- Glider fuselage for high speeds
- Seal in the lid
- Cover with quick release fastener

Functions:

- Forward/Reverse
- Left/Right
- Top speed approx. 20 Km/h



365 x 125 x 187 mm



Box content:

- Model
- Remote control 2,4GHz
- Drive battery
- USB charger
- Model stand
- Instructions

Required accessories:

- Remote control:
- 2 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)

Spare parts:

Battery	413126
Propeller, 2 pieces	413127
USB charging lead	413128

See safety notes: 8+ | 2 | 4 | 5 | 9

~315 mm	~96 mm	~58 mm	~363 g	

410138	
410139	

--	--	--	--	--	--	--

Climater 2,4GHz

No. 410142

CLIMATER



Unique Cooling System

Highlights:

- 2.4GHz transmitter for multiplayer operation
- With safety function!
- Propellers only turn in water
- 180° turn back function. Raise model in water by remote control
- Unique water-motor cooling system integrated into the hull
- Acoustic low voltage warning on remote control
- 2-fold protection of the boat's electronics against moisture
- Rudder and speed control trimmable via remote control
- 2 stabiliser fins/turn fins for extreme manoeuvrability
- Speed and steering infinitely/proportionally adjustable
- Easy to steer
- Metal drive shaft and guide tube
- Metal rudder linkage
- Flow-optimised water screw
- Removable flexible ram protection

Functions:

- Forward/Reverse
- Left/Right
- Top speed approx. 25 Km/h



475 x 185 x 185 mm



Box content:

- Model
- Remote control 2,4GHz
- Drive battery
- USB charger
- Spare propeller and nut
- Model stand
- Ram protection
- Spanner
- Instructions

Required accessories:

- Remote control: 4 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)

Spare parts:

Propeller	412915
Ram protection	412916
Rudder	412917
Turnfin LS + RS, 2 pieces	412918
Screw	412919
Receiving antenna	412920
Motor	412921
USB charging lead	412922
Battery	412923
Remote control	413386

See safety notes: 14+ | 1 | 9

~455 mm	~120 mm	~120 mm	~828 g	Li-ion 7.4V 1500mAh



--	--	--	--	--	--	--	--



Angle 120 VR HD WiFi FPV 2,4GHz


No. 422029



Fast changing battery pack with charging socket

3D VR Goggles optionally available*

ANGLE 120 Altitude HD Wifi FPV



Highlights:

- 2.4GHz transmitter for multiplayer operation
- Automatic Altitude Control/Altitude
- Track following - Flight path planning mode - use your finger to draw a flight path that your model will automatically follow
- 120° wide angle WiFi FPV HD camera 720p with photo/video function and exchangeable 4 GB Micro SD card
- Self-stabilising 6-axis gyro attitude control
- Quick-change battery with easy-slot system
- LED light multicoloured with direction indicator and warning
- Lightweight ABS housing
- Removable rotor guard
- Built-in smartphone holder in the remote control
- Controllable via remote control or app
- Controllable via G-sensor
- Charging and data transfer via USB cable
- Splitscreen VR mode switchable in the app

Functions:

- Tilt: Forward/Reverse/Left/Right
- Rotate: Left/Right
- Up/Down
- 360° flip somersault
- 3 flight modes: slow/medium/fast
- Electronic directional control/Headless
- Electronic return/flyback
- Take-off and landing assistant
- Top speed approx. 40 Km/h



Box content:

- Model
- Remote control 2,4GHz
- Flight battery
- USB charger
- USB cable
- Spare rotor blades
- USB memory card adapter
- WiFi FPV HD camera with Micro SD memory card 4 GB
- 3D Virtual Reality Goggles
- Instructions

Required accessories:


- Remote control:
- 4 x AAA 1,5V batteries, Ord. No. 140280 (4 pieces)

Recommended Accessories:

- 3D Virtual Reality glasses, Ord. No. 423156



See safety notes: 16+ | 1 | 8 | 9 | 14*



VERSION 1
Payload GPS
No. 422024



GPS

VERSION 2
Payload HD WiFi FPV
No. 422025 GPS / No. 422013



3D VR Goggles for version 422025 optionally available*



422013



VERSION 3
Payload GPS FHD WiFi Action Cam
No. 422026



VERSION 4
Payload GPS HD WiFi FPV VR
No. 422035




Splitscreen can be activated via app

incl. 3D VR Goggles*

See safety notes: 16+ | 1 | 8 | 9 | 14*



~620 mm




~620 mm



~188 mm



*967 - 1455 g



LiPo 74V
2000 - 2700mAh



422024

4 042774 1433963

4 042774 1433970



422026

4 042774 1433987

4 042774 1425050



FLUCZEIT
FLIGHT
TIME

~10 MIN



LADEZEIT
CHARGING
TIME

~3 h



KANAL
CHANNEL

4



6

6



7

7



LED

LED



OUTDOOR

OUTDOOR



Li-PO

Li-PO



2,4
GHz

2,4
GHz



360°
FLIP

360°
FLIP



TURBO

TURBO



6
AXIS
GYRO

6
AXIS
GYRO



PAYLOAD

PAYLOAD

422013

422024/25/26/35

Highlights:

- 2.4GHz transmitter for multiplayer operation
- Automatic Altitude Control/Altitude
- Self-stabilising 6-axis gyro attitude control
- Quick-change battery
- LED light multicoloured with direction indicator and warning
- Lightweight ABS housing
- Removable rotor guard
- Rotor blade quick change system
- No tools necessary
- 4 powerful motors allow a payload of up to 350 g
- Removable action camera holder with quick release
- Adapter for attaching common action cameras

GPS

- GPS & Automatic Altitude Control/Altitude
- Position Hold™ allows the model to hold its current position via GPS
- Coming Home allows the model to automatically return to the starting point/home position which has been saved as the GPS location
- Controllable via G-sensor

Functions:

- Tilt: Forward/Reverse/Left/Right
- Rotation: Left/Right
- Up/Down
- 360° flip somersault
- 3 flight modes: slow/medium/fast
- Electronic directional control/Headless
- Take-off and landing assistant (GPS)
- Top speed approx. 40 Km/h



Box content:

- Model
- Remote control 2,4GHz
- Flight battery
- Charger with balancer
- Spare rotor blades
- Smartphone holder
- Action Camera Holder
- Screwdriver
- Instructions

Required accessories:

- Remote control:
- 6 x AA 1,5V batteries, No. 140267 (4 pcs.)



Additional information	422013	422024	422025	422026	422035
Highlights:					
WiFi FPV HD camera 720p with Photo/Video function and removable 4 GB SD-card	✓	-	✓	-	✓
WiFi Full HD Action camera 1080p with Photo/Video function	-	-	-	✓	-
Controllable via Remote control or App	✓	-	✓	-	✓
View images through VR glasses using smartphone app (Splitscreen VR Mode)	✓	-	✓	-	✓
Track following - Trajectory planning mode Draw a trajectory with your finger, which your model will automatically follow.	✓	-	✓	-	✓
Box contents:					
USB memory card adapter	✓	-	✓	-	✓
WiFi FPV HD camera with Micro SD Memory card 4 GB	✓	-	✓	-	✓
WiFi Full HD Action camera with Photo/Video function	-	-	-	✓	-
3D Virtual Reality Glasses	-	-	-	-	✓
Tuning:					
HD FPV camera WiFi 720p, No. 423101	-	✓	-	✓	-
Full HD Camara Pro WiFi V2 1080p, No. 177890/91	✓	✓	✓	-	✓
3D Virtual Reality Glasses, No. 423156	✓	-	✓	-	-

Gyro V2 2,4GHz

No. 038150



Highlights:

- 2.4GHz transmitter for multiplayer operation
- Gyro technology. Stabilization of the flight characteristics
- Demo mode. Pre-programmed sequence
- Lower rod bar
- Motor protection in case of locked rotor blades
- Winglets on main rotors for increased flight stability
- Flexible rotor blades
- LiPo battery exchangeable
- Robust aluminium chassis
- Resistant against crashes
- LED light

Functions:

- Forward/Reverse
- Left/Right
- Up/Down
- LED light on/off
- Turbo function
- Demo

Box content:

- Model
- Remote control 2,4GHz with integrated charger
- Flight battery
- USB charger
- Spare rotor blades
- Spare tail rotor blade
- Instructions

Required Accessories:

- Remote control:
- 4 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)

See safety notes: 14+ | 1 | 8 | 9




Floater Altitude 2,4GHz

No. 410145

Floater Heli




Highlights:

- 2.4GHz transmitter for multiplayer operation
- Gyro technology. Stabilization of the flight characteristics
- Automatic altitude control/Altitude
- Demo mode. Pre-programmed sequence
- Soft start
- Top rod
- Motor protection in case of locked rotor blades
- Flexible rotor blades
- LiPo battery exchangeable
- Robust aluminium chassis
- LED light

Functions:

- Forward/Reverse
- Left/Right
- Up/Down
- Turbo function
- Demo
- Take-off and landing assistant
- Top speed approx. 6 Km/h



Box content:

- Model
- Remote control 2,4GHz
- Flight battery
- USB charger
- Spare rotor blades
- Spare tail rotor blade
- Spare coupling rod
- Screwdriver
- Instructions

Required Accessories:

- Transmitter: 4 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)

Spare parts:

Canopy	412939
Main Frame low including landing gear	412940
Main Frame top	412941
Stabilizer rod	412942
Motor A, cable red/ble	412944
Motor B, cable black/white	412945
Tail motor	412946
Rotor blades, 4 pieces	412947
Tail rotor blade	412948
Main gear top	412949
Main gear bottom	412950
USB charging lead	412952
Battery	413465

See safety notes: 16+ | 1 | 8 | 9

--	--	--	--	--



--	--	--	--	--	--	--	--	--	--	--

Cessna 182 2,4GHz

No. 410190

CESSNA 182



Highlights:

- 2.4GHz transmitter for multiplayer operation
- Gyro technology. Stabilisation of flight characteristics
- Made of flexible micro-foam
- Removable landing gear
- Suitable for beginners
- Speed continuously/proportionally adjustable
- LiPo battery
- Quick change battery

Function:

- Height
- Side
- Throttle

extremely flexible



Box content:

- Model
- Remote control 2,4GHz
- Flight battery
- USB charger
- 2 spare propellers
- 2 motors ready mounted
- Controller and receiver unit ready mounted
- Landing gear
- Screwdriver
- 2 Screws
- Instructions

Required Accessories:


- Remote control:
- 2 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)




430 x 190 x 100 mm



See safety notes: 16+ | 1 | 8 | 9




~385 mm



~310 mm



~185 g



LiPo
3,7V 300mAh



Piper J3-Cub 2,4GHz

No. 410191



PIPER CUB J3

Highlights:

- 2.4GHz transmitter for multiplayer operation
- Gyro technology. Stabilisation of flight characteristics
- Very good self-flight characteristics even in light winds
- Made of flexible micro-foam
- Removable landing gear
- Suitable for beginners
- Speed continuously/proportionally adjustable
- LiPo battery
- Quick change battery
- Wing ready mounted

Function:

- Height
- Side
- Throttle

extremely flexible



324 x 278 x 89 mm




Box content:

- Model
- Remote control 2,4GHz
- Flight battery
- USB charger
- 2 spare propellers
- 2 motors ready mounted
- Controller and receiver unit ready mounted
- Landing gear
- Screwdriver
- Instructions

Required Accessories:

- Remote control:
- 2 x AA 1,5V batteries, Ord. No. 140267 (4 pieces)

See safety notes: 16+ | 1 | 8 | 9




304 mm



248 mm



112 g



LiPo
3,7V 150mAh



410191

4 042774 472535

